



**UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
REGION 7**

11201 Renner Boulevard
Lenexa, Kansas 66219

DEC 30 2014

ep 11/06/14
Mr. Craig Phillips
Restoration Program Manager
Environmental Division, DPW
407 Pershing Court
IMNW-RLY-PWE
Fort Riley, Kansas 66442

**Re: Response to EPA Comments on the Explanation of Significant Difference for the Record of Decision, 354 Area Solvent Detections Operable Unit 005
Fort Riley, Junction City, Kansas**

Dear Mr. Phillips:

The U. S. Environmental Protection Agency has completed its review of the responses to the ESD referenced above. These responses which are attached to this letter were received on December 9, 2014, in response to the EPA comments submitted to the Fort on October 20, 2014. Based on this review the EPA finds the responses and the modified document acceptable and approved.

Thank you for the opportunity to review the document and responses. Please contact me via email at safadi.amer@epa.gov or at (913) 551-7825 if you have any questions or concerns.

Sincerely,

Amer Safadi
Remedial Project Manager
Missouri/Kansas Remedial Branch
Superfund Division

Enclosure

cc: Travis Daneke, Kansas Department of Health and Environment
Amanda Chirpich, U.S. Army Corps of Engineers

