

Fungal Genetics Stock Center
Dept. of Microbiology
Univ. of Kansas Medical Center
Kansas City, KS 66103

PLEASE PROVIDE COMPLETE INFORMATION

Reprints or other data relating to this deposit will aid the Stock Center and recipients of the strain.

Accession
number

SPECIES Aspergillus niger A736

GENOTYPE cspA1 from A1

LINKAGE GROUP I

DESIGNATION OF MUTANT ALLELE(S) fawn coloured conidia

STRAIN DESIGNATION Decends from N402 (cspA1), a strain with low conidiophores.

YOUR STOCK NUMBER FOR THIS CULTURE N410
include stock no. from other collections

ORIGIN OF STOCK recomb. from diploid: N402 at 45% survival
by low dose UV from:
for example - obtained from, genetic background, from cross with; or if
collected from nature, collection point, substrate and collector.

PUBLISHED REFERENCES N402 is an UV induced mutant derived from wildtype strain N400 (Bos, C.J., 1985.
Thesis Agricultural Univ. Wageningen, The Netherlands). N400 = CBS 120-49 =
ATCC 9029

(for any information regarding this stock)

IF UNPUBLISHED, please indicate strain of origin, mutagen, worker,
genetic background, important characteristics

COMMENTS (special growth requirements, aberrations, heterokaryon
compatibility, special uses of strain, etc.)

(use additional space below or on back of page if necessary)

YOUR NAME Dr.ir. C.J. Bos
Dept. of Genetics, Agricultural University, Wageningen
Gen. Foulkesweg 53, Wageningen, The Netherlands

DATE Sept 3, 1986