Fungal Genetics Stock Center Dept. of Microbiology Univ. of Kansas Medical Center Kansas City, KS 66103

PLEASE PROVIDE COMPLETE INFORMATION

Reprints or other data relating to this deposit will aid the Stock Center and recipients of the strain.

	Accession number
SPECIES Aspergillus niger	A738
GENOTYPE CAPAI NICAI	
LINKAGE GROUP	
DESIGNATION OF MUTANT ALLELE(S)	otr
STRAIN DESIGNATION Decends from N402 (cspA1), a strain with low coni	diophores.
YOUR STOCK NUMBER FOR THIS CULTURE N423 include stock no. from other collections by low dose UV from: ORIGIN OF STOCK recomb. from diploids N402 at 45% Sunfor example - obtained from, genetic background, from cross with; or collected from nature, collection point, substrate and collector.	
PUBLISHED REFERENCES N402 is an UV induced mutant derived from wildtype strain N400 Thesis Agricultural Univ. Wageningen, The Netherlands). N400 =	(Bos, C.J., 1985. CBS 120-49 = ATCC 9029
(for any information regarding this stock)	
IF UNPUBLISHED, please indicate strain of origin, mutagen, worker,	
genetic background, important characteristics	
COMMENTS (special growth requirements, aberrations, heterokaryon compatibility, special uses of strain, etc.)	
(use additional space below or on back of page if necessary) YOUR NAME _Dr.ir. C.J. Bos DATE Sept 3, 19	386
Dept. of Genetics, Agricultural University, Wageningen Gen. Foulkesweg 53, Wageningen, The Netherlands	