

Fungal Genetics Stock Center, Department of Microbiology  
 University of Kansas Medical Center, Kansas City, KS 66103, U.S.A.

GENOTYPE riboA1 pabaA1 yA2 AcrA1 galA1 ActA1 pyroA4 nicA2 sB3 choA1 chaA1

LOCUS designation riboA pabaA yA AcrA galA ActA pyroA nicA sB choA chaA

LINKAGE GROUP and ARM IL IR IR IIL III L III L IVR VL VIR VIIR VIII R

YOUR STOCK NUMBER FOR THIS CULTURE M 3252

ORIGIN OF STOCK:

ORIGINAL MUTANTS: Mutagen \_\_\_\_\_ Stock employed \_\_\_\_\_

RECOMBINANTS: Diploid of origin: M 2728 = Tester diploid 28

<sup>M 3207</sup>  
 #743 + riboA1 + pabaA1 yA2 + AcrA1 + + galA1 ActA1 + pyroA4 + ~~lysB5~~ sB3 + OliC2 mglA1 + fwa2 +  
 #592 SulA1 + anA1 + + biA1 + wA2 ~~coxE16~~ + + methG1 + ~~nicA2~~ + sBA3 + + choA1 + chaA1

2461 - see pedigree of #592 origin of #543: diploid 2720: see #743

Test for translocations: Tester strain NA: Diploid #28 is marked on all chromosomes which  
 Translocation(s) present NONE segregate freely  
 (designate by linkage group)  
 Tested by A. Tittler & E. Käfer

Published Reference(s) E. Käfer (1988) Mutation Res. 201: 385-399

28: Used as diploid tester strain to identify mitotic segregation and aberrations induced by environmental mutagens

Please note unusual characteristics (i.e. genetic stability, growth and scoring methods, etc.) \_\_\_\_\_

YOUR NAME E. Käfer DATE SUBMITTED Nov. 10 / 1988

Please do not write below this line.

lyophilized \_\_\_\_\_ silica gel \_\_\_\_\_  
 viability \_\_\_\_\_  
 genotype \_\_\_\_\_

sent to: Name date Name date

Comments:

\*Please give complete description of new symbols.