

readily scored in 2 days at 34°C if a small inoculum is used
 Increased ammonium concentration makes some strains less
 leaky - add additional 20 mg/ml ammonium tartrate to Fris
 min. medium.

7/24/60
 13
 Please do not write in this space

(SAC) Saccin (SAC) GENOTYPE

MATING TYPE _____

ALLELE DESIGNATION(S) _____

(isolation no.) _____

YOUR STOCK NUMBER FOR THIS CULTURE _____

ORIGIN OF STOCK _____

(for example - obtained from, induced in, from cross with, etc.) _____

PUBLISHED REFERENCE _____

(for data regarding origin, package, characteristics, etc.) _____

IF UNPUBLISHED, please indicate strain of origin, mutagen, worker, distinguishing characteristics _____

PACKAGE GROUP(S) _____

aberrations, recombination, genetic background, complementation group, etc.) _____

(use additional space on back of page if necessary)

YOUR NAME _____ DATE _____

Please do not write below this line

checked for	date	name
checked for viability	7/27/60	R. P. Johnson
checked for genotype	7/27/60	R. P. Johnson
other storage method	7/27/60	R. P. Johnson
checked for viability	7/27/60	R. P. Johnson

sent to: _____

name _____ date _____

name _____ date _____

name _____ date _____

name _____ date _____

name _____ date _____

Comments: repeated change to medium
~~OK on complete ...~~

name of person with whom you should communicate _____

your appointment with me to be contacted _____

at _____