Record of Neurospora Culture

Fungal Genetics Stock Center, Botany Department, Dartmouth College
Hanover, New Hampshire, U.S.A.

NCRASSA
FGSC #
2095

GENOTYPE T(I;V)T27Mq — A (mating type) — date 10/27/71

ALLELE DESIGNATION(S) (isolation no.) T27Mq

YOUR STOCK NUMBER FOR THIS CULTURE 15-854

ORIGIN OF STOCK Extracted from un(1) = 74A-T27-Mq of Inoué & Ishikawa
(for example - obtained from, induced in, from cross with, etc.)

PUBLISHED REFERENCE

Origin: Inoue and Ishikawa 1970 Japan. J. Genet. 45: 357-369.
(for data regarding origin, linkage, characteristics, etc.)

IF UNPUBLISHED, please indicate strain of origin, mutagen, worker, distinguishing characteristics Originated simultaneously with un^t(1) in 74A following filtration enrichment of UV-treated conidia.

LINKAGE GROUP(S) IL, VC ; COMMENTS (special growth conditions, aberrations, heterocaryon compatibility, genetic background, complementation group, etc.)

(use additional space on back of page if necessary)

YOUR NAME David D. Perkins DATE OCT 26 1971

Please do not write below this line

lyophilized 11/2/71, , , , ,

checked for viability 12/30/71 OK, 10/12/84 OK, , , ,

checked for genotype OK.

other storage method 11/2/71, , , ,

checked for viability 12/30/71 OK, , , ,
2/13/78 OK

sent to:

name	date	name	date
(sg) E. Kafer - Bootheyd (McGill U.)	8/18/77		
(sg) FGSC - tested	2/13/78		

Please do not write in this space

Comments: Free of un^t that was originally present.
not separated from mating type. Probably left of V centromere.
Unordered tetrads (Black! White):

8:0	6:2	4:4	2:6	0:8
11	4	21	16	54

<50% black spores in crosses x Normal.

grows on minimal (WO 1/6/72)