

wild - collected *N. tetrasperma* or *tetrasperma*-like (CNW 129)
a component from *H. spored pseudobumthallii*

Record of Neurospora Culture

Fungal Genetics Stock Center, Botany Department, Dartmouth College
Hanover, New Hampshire, U.S.A.

FGSC #

2509

GENOTYPE Lihue-1v2 *N. tetrasperma* a
mating type

ALLELE DESIGNATION(S) collected from burnt grass, Hawaii, June
(isolation no.) 1972

YOUR STOCK NUMBER FOR THIS CULTURE PG56

ORIGIN OF STOCK collected by DDP from burnt grass
(for example - obtained from, induced in, from cross with, etc.)

PUBLISHED REFERENCE a component separated by conidial isolation, B. Turner

(for data regarding origin, linkage, characteristics, etc.)

IF UNPUBLISHED, please indicate strain of origin, mutagen, worker,
distinguishing characteristics

LINKAGE GROUP(S) _____; COMMENTS (special growth conditions,
aberrations, heterocaryon compatibility, genetic background, comple-
mentation group, etc.)

(use additional space on back of page if necessary)

YOUR NAME David D. Perkins DATE APR 19 1974

Please do not write below this line

lyophilized 5/8/74, _____, _____, _____, _____

checked for viability 5/10/74, _____, _____, _____, _____

checked for genotype _____

other storage method 5/3/74 grown onto complete, _____, _____, _____

checked for viability 5/10/74, _____, _____, _____, _____

sent to:

name	date	name	date
(sg) O. Mylyk (U. of B.C., Canada)	7/23/70		
(sg) B. Nating (U. of Calif., Berkeley)	3/18/82		

Comments:

makes fertile cross with *tetrasperma* A, black spores.
Obtained from same culture as Lihue IV 1A, both
by conidial isolation.
grows well on minimal

Please do not write in this space

opp mt = 2508