

NN23

## Group VII

EFIMICL  
FGSC #  
2857

## Part 2

GENOTYPE g<sup>+</sup>dd (d)  
(symbol or description)

date \_\_\_\_\_

ALLEL DESIGNATION(S)  
(isolation no.)

( ) \_\_\_\_\_

YOUR STOCK NUMBER FOR THIS CULTURE \_\_\_\_\_

( ) \_\_\_\_\_

ORIGIN OF STOCK ICR70 induced, Cambridge U., by Kitani  
(for example - obtained from induced in, from cross with, etc.)

( ) \_\_\_\_\_

PUBLISHED REFERENCE \_\_\_\_\_

( ) \_\_\_\_\_

(data regarding origin, linkage, biochemical characteristics, complementation group, etc.)

( ) \_\_\_\_\_

IF UNPUBLISHED, please indicate strain of origin, mutagen, worker,  
distinguishing characteristics large number of small perithecia  
appear densely at the thinner edge of slant culture,  
normal and fertile perithecia appear at normal place.

( ) \_\_\_\_\_

LINKAGE GROUP (S) & ARM \_\_\_\_\_ ; COMMENTS (special growth  
conditions, aberrations, heterocaryon compatibility, genetic background,  
complementation group, etc.) \_\_\_\_\_

( ) \_\_\_\_\_

(use additional space on back of page if necessary)

( ) \_\_\_\_\_

YOUR NAME YOSHAKI KITANI DATE \_\_\_\_\_

( ) \_\_\_\_\_

Please do not write below this line

( ) \_\_\_\_\_

lyophilized \_\_\_\_\_, \_\_\_\_\_, \_\_\_\_\_, \_\_\_\_\_, \_\_\_\_\_

( ) \_\_\_\_\_

checked for

( ) \_\_\_\_\_

viability \_\_\_\_\_, \_\_\_\_\_, \_\_\_\_\_, \_\_\_\_\_, \_\_\_\_\_

( ) \_\_\_\_\_

checked for genotype \_\_\_\_\_

( ) \_\_\_\_\_

other storage method 1975, \_\_\_\_\_, \_\_\_\_\_, \_\_\_\_\_, \_\_\_\_\_

( ) \_\_\_\_\_

checked for viability ok, 6/25/84 ok, \_\_\_\_\_, \_\_\_\_\_, \_\_\_\_\_

( ) \_\_\_\_\_

sent to: name date name date

( ) \_\_\_\_\_

(sq) 728C-tested (long elat) 9/27/88

( ) \_\_\_\_\_

( ) \_\_\_\_\_

( ) \_\_\_\_\_

Comments: