

3477 - 10/26/79 25° No growth
~~10/29/79~~

place in 32°-34° incubator
 10/29/79

all grew overnight - 10/30/79

in 10% glycerol

3477 plus glycerol @ 25°
 seems to be growing
 slowly, but with
 typical morphology

10/30 transferred from
 above table to O and C
 + glycerol @ 38°C.

LINKAGE GROUP (S) & ARM II; VR; COMMENTS (special growth
 conditions, aberrations, heterocaryon compatibility, genetic background,
 complementation group, etc.)

(use additional space on back of page if necessary)

YOUR NAME Anne Hamill (via E.L. Tatum) ELT DATE 2/79

Please do not write below this line

lyophilized ✓ 4/19/83, _____, _____, _____, _____

checked for

viability OK, _____, _____, _____, _____, _____

checked for genotype _____

other storage method ✓ 4/19/83, _____, _____, _____, _____

checked for viability _____, _____, _____, _____, _____

sent to: name date name date

H.F. Terenzi (U de Sao Paulo) 2/19/79 _____

C.W. Slayman (Yale U School of Med) 2/22/79 _____

C. Delitrennikoff (U of California) 1/5/79 _____

H.G. Kalmakow (Uppsala Univ) 8/14/85 _____

Comments: reverted or suppressed (A. Hamill)

3477

Looks like it requires complete
 gas to grow on "O"
 grows better @ 34 than 25°

7/11
 2043

retransformed onto

O, O + tris, complete

Please do not write in this

() _____

() _____

() _____

() _____

() _____

() _____

() _____