

Record of Neurospora Culture

Fungal Genetics Stock Center, Botany Department, Dartmouth College
Hanover, New Hampshire, U.S.A.

accession number

5077

GENOTYPE acr-5 _____ mating type A

ALLELE DESIGNATION(S) JL C 74 _____
(isolation no.) 1548

YOUR STOCK NUMBER FOR THIS CULTURE 2238

ORIGIN OF STOCK Spontaneous in Sk-2 plating of Joseph L. Campbell.
(for example - obtained from, induced in, from cross with, etc.)

Shown not in III by Campbell. Mapped and obtained free of Sk-2

PUBLISHED REFERENCE by D.P. and Virginia Pollard, via cross to R (Sk-2).

(for data regarding origin, linkage, characteristics, etc.)

IF UNPUBLISHED, please indicate strain of origin, mutagen, worker, distinguishing characteristics _____

LINKAGE GROUP(S) ILR; COMMENTS (special growth conditions, aberrations, heterocaryon compatibility, genetic background, complementation group, etc.) _____

(use additional space on back of page if necessary)

YOUR NAME David Perkins David D. Perkins DATE 17 Mar 86

Please do not write below this line

lyophilized _____, _____, _____, _____, _____

checked for viability _____, _____, _____, _____, _____

checked for genotype _____.

other storage method _____, _____, _____, _____

checked for viability _____, _____, _____, _____

sent to:

name	date	name	date
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____

Comments:

Scorable in mo⁺, whereas KH allele was said to be scorable only in presence of mo.

Between acr-5 and pe: acr-5 6 acr-5 9 pe

0/31 acr^S progeny from JL C 74 x KH 27. (D Perkins 431)

Please do not write in this space