

Fungal Genetics Stock Center
Dept. of Microbiology
Univ. of Kansas Medical Center
Kansas City, KS 66103

PLEASE PROVIDE COMPLETE INFORMATION

Reprints or other data relating to this deposit will aid the Stock Center and recipients of the strain.

Accession
number

SPECIES _____ 6679

GENOTYPE sk

MATING TYPE a LINKAGE GROUP(S) VII R

DESIGNATION OF MUTANT ALLELE(S) P1718

STRAIN DESIGNATION IF WILD-TYPE _____

YOUR STOCK NUMBER FOR THIS CULTURE 302
include stock no. from other collections

ORIGIN OF STOCK Same as FGSC 1674. (This is a sibling of 1674)
for example - obtained from, genetic background, from cross with; or if
collected from nature, collection point, substrate and collector.

PUBLISHED REFERENCES N. Newsl. 14

(for any information regarding this stock)

IF UNPUBLISHED, please indicate strain of origin, mutagen, worker,
genetic background, important characteristics f₁ from cr (OR background) x
lev-3 (R156) (Rk background), subsequently crossed x OR. ∴ mixed.

COMMENTS (special growth requirements, aberrations, heterokaryon
compatibility, special uses of strain, etc.)

(use additional space below or on back of page if necessary)

YOUR NAME David Perkins DATE ~~20 Dec 88~~ 21 Feb 89
David D. Perkins

Additional Comments: (use back of sheet if necessary)

0/76 recombinants x sk (B234). Preferred to B106, B234 as marker.
Grows faster, more aerial, pigments more quickly than B106 or B234.
Easier to transfer. Probably better germination. Flecks of raised conidia^(?)
top of minimal slant; flat lower in slant.
Formerly called mo (P1718).