

Fungal Genetics Stock Center
Dept. of Microbiology
Univ. of Kansas Medical Center
Kansas City, KS 66103

PLEASE PROVIDE COMPLETE INFORMATION

Reprints or other data relating to this deposit will aid the Stock Center and recipients of the strain.

Accession
number

SPECIES N. c. 7026

GENOTYPE mo (R 2374s)

MATING TYPE A LINKAGE GROUP(S) III R

DESIGNATION OF MUTANT ALLELE(S) R 2374s

STRAIN DESIGNATION IF WILD-TYPE _____

YOUR STOCK NUMBER FOR THIS CULTURE ~~3084~~ 3381 + 3341
include stock no. from other collections

ORIGIN OF STOCK Derived by DP crosses, 3 generations x OR and Mated,
for example - obtained from, genetic background, from cross with; or if
collected from nature, collection point, substrate and collector.

PUBLISHED REFERENCES _____

(for any information regarding this stock)

IF UNPUBLISHED, please indicate strain of origin, mutagen, worker,
genetic background, important characteristics Indexed in ind (89601),
Tatum lab., Received by DP from S.R. Gross, 1959.

COMMENTS (special growth requirements, aberrations, heterokaryon
compatibility, special uses of strain, etc.)

(use additional space below or on back of page if necessary)

YOUR NAME David D. Perkins DATE 12 Jan 91

Additional Comments: (use back of sheet if necessary)

Bezins as flat spreading mo on agar. Sends tongue(s) of growth above wedge of
slant. Occasionally, conidia may form on the tongue.

Progeny from mo x wt include a few tight colonials ("buttons") (a 6%),
which are stable and don't give spreading progeny. The colonials map at or near
the same III R locus.