

Fungal Genetics Stock Center
Dept. of Microbiology
Univ. of Kansas Medical Center
Kansas City, KS 66103

PLEASE PROVIDE COMPLETE INFORMATION

Reprints or other data relating to this deposit will aid the Stock Center and recipients of the strain.

Accession
number

SPECIES _____

7316

GENOTYPE (*ura5; al-3 ind A + a^m ad-3B cyh-1*) (*heterokaryon*)

MATING TYPE A LINKAGE GROUP(S) III R; VRR + I L Rr

DESIGNATION OF MUTANT ALLELE(S) ALS13; RP100, 89601

STRAIN DESIGNATION IF WILD-TYPE _____

YOUR STOCK NUMBER FOR THIS CULTURE 9411
include stock no. from other collections

ORIGIN OF STOCK 2P cross, f₁ of F95C2970.
for example - obtained from, genetic background, from cross with; or if
collected from nature, collection point, substrate and collector.

PUBLISHED REFERENCES _____

(for any information regarding this stock)

IF UNPUBLISHED, please indicate strain of origin, mutagen, worker,
genetic background, important characteristics _____

COMMENTS (special growth requirements, aberrations, heterokaryon
compatibility, special uses of strain, etc.)

ura5 stocks tend to become sick after subculture. Heterokaryon should shelter the mutant and prevent this.

(use additional space below or on back of page if necessary)

YOUR NAME David D. Perkins DATE 21 Sept 92

Additional Comments: (use back of sheet if necessary)

*Can be used as ♀ parent.
Meiosis blocked at pachytene in ura5 x ura5. (circum-reference)
It would be useful to list this under ura5 in single-mutant list, because the unsheltered single-mutant gets sick, ~~like rd~~*