

Fungal Genetics Stock Center  
Dept. of Microbiology  
Univ. of Kansas Medical Center

Kansas City, KS 66103

PLEASE PROVIDE COMPLETE INFORMATION

Reprints or other data relating to this deposit will aid the Stock Center and recipients of the strain.

Accession  
number

SPECIES *N. crassa* MATING TYPE a 8610

GENOTYPE T(I;II)463Tal-1; T(IV;V)R 2355; T(VI;VII)MN 86 "III-free"

DESIGNATION OF MUTANT ALLELE(S) \_\_\_\_\_

LINKAGE GROUP(S) All but III are tied up in <sup>the</sup> three translocations.

STRAIN DESIGNATION IF WILD-TYPE \_\_\_\_\_

YOUR STOCK NUMBER FOR THIS CULTURE 12467-1830<sup>5</sup>  
include stock no. from other collections

ORIGIN OF STOCK DP cross, substituting T(VI;VII)MN 86 for  
T(III;VI)ylot in alcoy.

for example - obtained from, genetic background, from cross with; or if collected from nature, collection point, substrate and collector.

PUBLISHED REFERENCES Perkins 1997 Adv. Genet. 36:239-398. (pp. 266, 267)

(for any information regarding this stock)

IF UNPUBLISHED, please indicate strain of origin, mutagen, worker, genetic background, important characteristics \_\_\_\_\_

COMMENTS (special growth requirements, aberrations, heterokaryon compatibility, special uses of strain, etc.)

Useful for cytological studies of Spore killer, because  
only LG III is paired as a bivalent in cross x wild type.  
Called "III-free", in contrast to alcoy, which is "VII-free".  
(use back of page if necessary)

YOUR NAME David Perkins DATE Sept 26, 01